

## Sustainable Product Design Tools and Their Applications: A Review

Mohd Tayyab<sup>1,\*</sup>, Ranganath M Singari<sup>2</sup>, and Peer M Sathikh<sup>3</sup>

<sup>1</sup>Punjab Engineering College, Chandigarh, India

<sup>2</sup>Delhi Technological University, Delhi, India

<sup>3</sup>Nanyang Technological University, Singapore

\*[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

### Abstract

**Context:** The increasing urgency of climate change, resource depletion, and stringent environmental regulations has shifted sustainable design from a niche interest to a core business imperative. The product design phase is critical, as it is estimated to determine up to 80% of a product's lifelong environmental and social impact.

**Objective:** This review paper synthesizes and categorizes the diverse landscape of sustainable product design (SPD) tools available to designers, researchers, and engineers. It aims to create a clear typology of these tools, analyse their primary functions, and illustrate their practical applications across various industries.

**Methodology:** A systematic literature review was conducted, analysing academic journals, industry publications, and technical reports. The identified tools are classified into three primary categories: (1) Analytical and Quantitative Tools, (2) Qualitative and Guideline-Based Tools, and (3) Strategic Frameworks and Philosophies.

**Findings:** The review reveals a wide spectrum of tools, from data-intensive Life Cycle Assessment (LCA) software to intuitive, heuristic-based eco-design checklists. Analytical tools like LCA provide quantitative rigor but are often complex and used "summatively" (post-design). Qualitative tools are highly accessible and "formative" (used during design) but may lack depth. Strategic frameworks like the Circular Economy and Biomimicry offer systemic, high-impact innovation but require fundamental business model transformation.

**Conclusion:** No single tool provides a complete solution. The analysis concludes that an effective sustainable design process relies on a hybrid approach, where designers strategically select and combine tools to match the specific stage of the design process. Future trends point toward the integration of these tools into digital design workflows (e.g., CAD-integrated LCA, digital twinning) to provide real-time, formative feedback.

**Keywords:** Sustainable Product Design, Eco-Design, Life Cycle Assessment (LCA), Circular Economy, Design Tools, Biomimicry, Design for X (DfX).

\* Corresponding Author:

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India

[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



## 1. Introduction

The 21st century is confronting the twin crises of climate change and systemic resource depletion. In response, a paradigm shift is underway, accelerating the transition from a linear "take-make-dispose" economic model to one that is circular and regenerative (Ellen MacArthur Foundation, 2013). This industrial transformation is no longer a niche concern but a central imperative, driven by escalating pressures from regulatory bodies, heightened consumer awareness, and investor demand for robust Environmental, Social, and Governance (ESG) performance. Organisations are now compelled to move beyond superficial "greenwashing" and fundamentally reconsider the life cycle of the products they create.

Within this transition, the product designer, engineer, and strategist hold a position of unparalleled influence. The design stage is increasingly recognised not as the first step, but as the point of highest leverage for systemic change. This recognition is crystallised in a principle widely cited by governmental bodies, including the European Commission (2022), which estimates that up to 80% of a product's lifelong environmental impact is determined by decisions made at the design stage. This single statistic reframes the designer's role from one of styling and function to one of profound ecological and social stewardship, an idea with deep roots in design theory (Papanek, 1971).

However, a significant gap persists between this sustainable *intent* and its practical *implementation*. The modern designer, traditionally trained in aesthetics, ergonomics, and mechanical engineering, now faces a gauntlet of complex, multi-domain trade-offs. A decision to switch from virgin aluminium to a recycled polycarbonate, for example, involves a bewildering matrix of competing factors: a reduction in embodied energy may be offset by challenges in end-of-life recyclability; a material's technical performance must be weighed against its chemical toxicity, its water footprint, and the social equity of its supply chain.

To navigate this complexity and bridge the gap between ambition and action, a diverse "toolbox" of Sustainable Product Design (SPD) methodologies has emerged over the last three decades (Bhamra & Lofthouse, 2007). This proliferation of tools, whilst well-intentioned, has created its own challenge: a fragmented and often confusing landscape. A practitioner may be faced with a disorienting array of options, from qualitative checklists and heuristic guidelines to data-intensive, expert-level software and abstract philosophical frameworks. This lack of clarity can lead to paralysis, the misapplication of tools, or a retreat to cosmetic, low-impact changes.

This article aims to bring clarity to this field. It provides a comprehensive review and critical analysis of the principal sustainable product design tools and frameworks currently available. The primary objective is to synthesise this fragmented landscape into a structured typology. By categorizing the tools based on their function, data requirements, and ideal application stage,

\* Corresponding Author:

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India

[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



this paper aims to provide a clear guide for designers, educators, and managers, enabling them to confidently select and deploy the right tool for the right task at the right time.

## 2. A Typology of Sustainable Product Design Tools

The diverse array of tools developed to support sustainable product design (SPD) can be challenging to navigate. To provide clarity, they can be categorized into three primary groups based on their function, complexity, and typical stage of application within the design process. These categories are: (1) Analytical and Quantitative Tools, (2.2) Qualitative and Guideline-Based Tools, and (2.3) Strategic Frameworks and Philosophies.

### 2.1 Analytical & Quantitative Tools

This category includes tools that are data-intensive and aim to provide an objective, scientific, and quantitative measure of a product's environmental impact. They are typically summative, meaning they are often used *after* a design concept is relatively mature to assess its performance or compare it against a benchmark.

- **Life Cycle Assessment (LCA):** This is the most comprehensive and standardised methodology (ISO 14040/14044). LCA systematically analyses the environmental inputs, outputs, and potential impacts of a product system throughout its entire life, from raw material extraction ("cradle") to manufacturing, distribution, use, and end-of-life disposal ("grave") (Bhamra & Lofthouse, 2007).
  1. **Function:** LCA quantifies impacts across multiple categories, such as Global Warming Potential (GWP), acidification, water scarcity, and eutrophication. Its primary strength lies in its ability to avoid burden-shifting—for example, ensuring that a change to reduce a product's carbon footprint does not inadvertently increase its water toxicity.
  2. **Application:** LCA is performed using dedicated software (e.g., SimaPro, GaBi) and relies on extensive databases (e.g., Ecoinvent) for material and process data. Because of its complexity, time, and cost, it has traditionally been difficult to integrate into the fast-paced, iterative early stages of design (Bhamra & Lofthouse, 2007).
- **Simplified LCA (Streamlined LCA):** To address the complexity of full LCAs, various simplified tools exist. These may focus on a single impact indicator (like a carbon footprint) or use simplified databases. While less accurate, they are faster and can provide directional feedback during the design process.

### 2.2 Qualitative & Guideline-Based Tools

These tools are heuristic-based, often presented as checklists, matrices, or guidelines. They are designed to be formative, meaning they are intended for direct use *during* the creative design

\* **Corresponding Author:**

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



and concept development stages to guide decision-making. They are generally more accessible to designers who are not sustainability experts (Bhamra & Lofthouse, 2007).

- **Eco-Design Checklists and Guidelines:** These are the most common and accessible entry point for SPD. They provide a structured series of prompts and questions organised around the product life cycle.
  1. **Function:** They prompt the designer to consider improvements at each stage, such as: "Can the number of components be reduced?" (Manufacturing), "Can the product use non-toxic, recycled materials?" (Materials), or "Is the product designed for easy disassembly?" (End-of-Life).
  2. **Application:** A well-known example is the "LiDS Wheel" (Lifecycle Design Strategies), which presents eight key strategies (e.g., "selection of lower-impact materials," "optimisation of end-of-life system") in a clear, visual format to stimulate creative thinking (Simon et al., 2001).
- **Design for 'X' (DfX):** This is a family of established engineering methodologies focused on optimising a specific, desirable attribute. For sustainability, the most relevant include:
  1. **Design for Environment (DfE):** A broad framework to minimise environmental impact.
  2. **Design for Disassembly (DfD):** Designing products with simple, non-destructive joints (e.g., using screws instead of glue) to facilitate end-of-life separation.
  3. **Design for Repair (DfR) & Maintenance:** Creating products with modular components, accessible parts, and clear instructions to extend their useful life.
  4. **Design for Remanufacturing/Refurbishment:** Designing durable core components ("corps") that can be easily recovered, serviced, and returned to a "like-new" condition.
- **Material Selection Guides:** These tools explicitly integrate environmental data into the traditional engineering-led material selection process.
  1. **Function:** Platforms like Ansys Granta allow designers to filter and compare materials not just on technical properties (e.g., tensile strength, cost) but also on environmental indicators (e.g., embodied energy, CO2 footprint, water use, end-of-life recyclability).

### 2.3 Strategic Frameworks & Philosophies

This category moves beyond single-product optimisation to offer high-level conceptual models that reframe the entire design problem, often requiring innovation at the level of the business model and system.

- **Circular Economy (CE):** This is a systemic framework, heavily popularised by the Ellen MacArthur Foundation (2013), that aims to decouple economic activity from the consumption of finite resources.
  1. **Function:** It is based on three principles: 1) Design out waste and pollution, 2) Keep products and materials in use at their highest value, and 3) Regenerate natural systems.

\* Corresponding Author:

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



2. **Application:** CE tools like the "Butterfly Diagram" (Ellen MacArthur Foundation, 2013) help designers distinguish between technical nutrients (finite materials like metals and polymers, which must be looped via repair, remanufacturing, and recycling) and biological nutrients (renewable materials that can safely return to the biosphere). Frameworks like ReSOLVE (Regenerate, Share, Optimise, Loop, Virtualise, Exchange) provide actionable strategies for businesses to implement these principles (Prendeville & Bocken, 2017).
- **Cradle to Cradle (C2C):** A specific design philosophy developed by Braungart and McDonough (2002), C2C is built on the concept that "waste = food".
    1. **Function:** It challenges the eco-efficiency goal of being "less bad" and instead promotes eco-effectiveness—designing products that are "more good" and have a net positive impact.
    2. **Application:** It mandates a strict separation of materials into technical and biological "nutrients." Technical nutrients are designed for infinite recirculation in closed-loop industrial cycles (the "technosphere"), while biological nutrients are designed to safely compost and return to the soil (the "biosphere") (Braungart & McDonough, 2002).
  - **Biomimicry:** This is an innovation methodology that seeks sustainable solutions by emulating nature's time-tested patterns and strategies (Benyus, 1997).
    1. **Function:** It operates on the principle that nature has already solved many of the challenges humans face (e.g., energy, water management, material fabrication) in an inherently sustainable way.
    2. **Application:** Designers "ask nature" for inspiration at multiple levels: emulating a natural form (e.g., the shape of a kingfisher's beak to reduce drag on a train), a natural process (e.g., spider silk fabrication at ambient temperature), or an entire system (e.g., an industrial ecosystem modelled on a forest, where one firm's waste is another's resource) (Benyus, 1997). The AskNature.org database is a key tool for this approach.

### 3. Applications and Case Studies

The true utility of the sustainable design toolbox is revealed not in the tools themselves, but in their practical application. The most mature design processes rarely rely on a single tool; instead, they orchestrate a selection of tools to suit different stages of development. The following case studies illustrate how different methodologies are applied to drive tangible sustainable outcomes.

#### 3.1 Case Study: Electronics (Applying LCA and DfR)

- **The Challenge:** The electronics industry is characterised by high-value, complex products with notoriously short lifespans. This leads to two primary environmental challenges: high embodied energy from manufacturing (e.g., chip fabrication, aluminium smelting) and a vast, often toxic, e-waste stream.

\* **Corresponding Author:**

Mohd. Tayyab, *Punjab Engineering College, Chandigarh, India*  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)


Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



- **Tool Application & Outcome:**

1. **Quantitative (LCA):** Major manufacturers like Apple and Dell conduct detailed Life Cycle Assessments (LCAs) for their flagship products (Apple, 2024). These summative assessments are not merely for reporting; they are critical for identifying environmental "hotspots". Figure 1 represents the disproportionate impact of "Production" (e.g., 70-80%) compared to "Use", "Transport", and "End-of-Life". For instance, LCAs consistently show that a laptop's main environmental impact comes from its production phase (specifically the display, processor, and aluminium casing), not its use phase. This data provides the business case for strategic, high-capital interventions, such as shifting to 100% recycled aluminium for casings or powering data centres and supplier facilities with renewable energy.



**Figure 1:** Lifecycle Carbon Footprint of a Typical Smartphone

2. **Qualitative & Strategic (DfR/Modularity):** In contrast to the "eco-efficiency" approach of large corporations, companies like Fairphone build their entire brand identity around qualitative principles like Design for Repair (DfR) and Design for Disassembly (DfD) (Bhamra & Lofthouse, 2007). Figure 2 shows an exploded-view diagram of a modular product like the Fairphone, which instantly communicates the concept of DfR and user-replaceable components, making the abstract idea tangible. Their design process prioritises user-replaceable modules (e.g., battery, camera, screen), non-proprietary fasteners, and the publication of repair guides. This is a direct application of eco-design principles aimed at life-cycle extension, one of the most effective strategies for reducing a product's overall impact (Simon et al., 2001).


\* **Corresponding Author:**

Mohd. Tayyab, *Punjab Engineering College, Chandigarh, India*  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

**Creative Commons Attribution 4.0 International License (CC BY 4.0)**

© 2025 Copyright by the Authors.





**Figure 2:** An exploded-view diagram of a modular product like the Fairphone.

### 3.2 Case Study: Apparel (Applying Material Selection Tools & LCA)

- **The Challenge:** The "fast fashion" industry is a prime example of a linear "take-make-dispose" model, creating immense water stress (e.g., from cotton cultivation), chemical pollution (from dyes), and landfill waste.
- **Tool Application & Outcome:**
  1. **Formative (Material Selection Tools):** A designer working for an apparel brand can use a tool like the Higg Material Sustainability Index (Higg MSI). This is a clear example of a Section 2.2 qualitative tool. Figure 3 shows a list of fabrics (e.g., Cotton, Hemp, and Recycled Polyester) next to comparative "scores" or "impact ratings" for water and carbon, illustrating it as a practical decision-making tool. The designer can, at the concept stage, directly compare the environmental impacts of "organic cotton" vs. "recycled polyester" vs. "virgin cotton" across multiple categories (e.g., water use, GWP, chemistry). This tool provides immediate, formative feedback, allowing for informed trade-offs *before* committing to a design.
  2. **Summative (LCA):** The brand Patagonia famously provides a foundational case study in using LCA to challenge assumptions. Their early LCAs revealed that their organic cotton garments, while avoiding pesticide use, had a significant carbon footprint due to transport and energy-intensive processing. This quantitative data spurred their pioneering development of recycled polyester fleece made from PET bottles, demonstrating how LCA can pivot an entire company's material strategy (Bhamra & Lofthouse, 2007).

\* **Corresponding Author:**

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India

[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.






Figure 3: A mock-up of a material selection database interface.

### 3.3 Case Study: Packaging (Applying Strategic Frameworks)

- **The Challenge:** Single-use packaging, particularly plastic, is a low-value product with an enormous and highly visible negative externality, primarily polluting oceans and overwhelming landfill sites.
- **Tool Application & Outcome:**
  1. **Strategic (Circular Economy):** The company Loop (a subsidiary of TerraCycle) provides a perfect example of applying a Circular Economy framework (Ellen MacArthur Foundation, 2013). Instead of following a simple eco-design brief (e.g., "design a recyclable bottle"), Loop fundamentally reframed the problem. Figure 4 represents a comparison between the Linear Model and the Circular Model.




Figure 4: A simple comparative diagram between Linear and Circular Model.

2. **Action:** They applied circular principles to design a "product-as-a-service" system. They partner with major brands (e.g., Unilever, Nestlé) to sell products (like ice cream or shampoo) in durable, brand-specific, returnable containers (made of steel or glass) as shown below in Figure 5. The consumer pays a small deposit, receives the product, and then returns the empty container to be professionally cleaned, refilled, and sold again. This design moves the material flow from a low-value, open-loop "recycling" model to a high-value, closed-loop "reuse" model (Prendeville & Bocken, 2017).



**Figure 5:** Examples of several Loop products.

#### 4. Discussion: The Evolving Toolkit & Future Trends

The review of sustainable product design (SPD) tools in the preceding sections reveals a rich but fragmented landscape. We possess powerful quantitative tools like LCA for *measuring* impact, accessible qualitative tools like the LiDS Wheel for *guiding* design (Simon et al., 2001), and transformative strategic frameworks like the Circular Economy for *reframing* the problem (Ellen MacArthur Foundation, 2013).

However, the primary challenge identified in both literature and practice is not a *lack* of tools, but their poor integration into the design process. This section discusses this central challenge and explores the emerging technological trends that promise to solve it.

##### 4.1 The Core Challenge: The Formative-Summative Disconnect

The fundamental disconnect in SPD lies between the *timing* of design decisions and the *timing* of impact assessment.

\* **Corresponding Author:**

Mohd. Tayyab, *Punjab Engineering College, Chandigarh, India*  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

**Creative Commons Attribution 4.0 International License (CC BY 4.0)**

© 2025 Copyright by the Authors.



1. **Early-Stage Impact:** As established, up to 80% of a product's life-cycle environmental impact is determined during the initial design and concept stages (European Commission, 2022). This is the "formative" stage, where designers make critical decisions about a product's architecture, material class, and function.
2. **Late-Stage Assessment:** Conversely, our most rigorous and scientifically respected tools, particularly full Life Cycle Assessments (LCAs), are data-intensive and time-consuming. As a result, they are typically employed "summatively" *after* the design is largely finalised, to validate choices or for external reporting (Bhamra & Lofthouse, 2007).

This creates a significant "feedback lag". By the time an LCA reveals that a chosen polymer has a catastrophic water-scarcity footprint, the design's geometry and tooling may be locked in, making a change prohibitively expensive. Designers are therefore left to use "formative" tools (checklists, guidelines) which are directional but lack quantitative rigor, forcing them to make trade-offs based on intuition rather than data.




Figure 6: A "Design Process vs. Impact" Diagram.

#### 4.2 Future Trend 1: Real-Time Feedback – The Rise of LCA-in-CAD

The most immediate solution to the feedback lag is to embed sustainability data directly into the designer's primary tool: Computer-Aided Design (CAD) software.

\* Corresponding Author:

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



- **Function:** Instead of a separate expert running a separate analysis, simplified LCA tools (like Ansys Granta, SolidWorks Sustainable Design, or third-party plug-ins) are integrated into the 3D modelling environment.
- **Application:** As a designer models a component, they can assign a material (e.g., "ABS plastic"). A real-time dashboard immediately displays key environmental indicators (e.g., carbon footprint, water use, embodied energy). If the designer switches the material to "recycled PET", they see these indicators change instantly.
- **Impact:** This transforms sustainability assessment from a "summative" post-mortem into a "formative" part of the creative process. It empowers the designer to make informed trade-offs (e.g., "This material is 10% heavier but has a 40% lower carbon footprint") live, democratising access to environmental data.

#### 4.3 Future Trend 2: Holistic Simulation – Digital Twinning for Sustainability

While LCA-in-CAD tools are excellent for material selection, they often miss the broader *systemic* impacts. Digital Twinning represents the next frontier, moving from a static product model to a dynamic, holistic simulation of the entire life cycle.

- **Function:** A digital twin is a high-fidelity virtual replica of a physical product, process, or system (Stark, 2021). Critically, it is not just a 3D model; it is a simulation model that can be "run" to predict behaviour.
- **Application:** A "sustainable digital twin" can be used to:
  - Simulate Manufacturing:** Model the energy consumption, scrap rates, and emissions of the proposed production line.
  - Simulate Use:** Run a virtual simulation of the product's 10-year life, predicting energy consumption, component failure rates, and the need for repair (testing DfR strategies).
  - Simulate End-of-Life:** Test DfD (Design for Disassembly) strategies by running virtual disassembly scenarios to calculate the time, cost, and material purity that can be recovered (Grieves & Vickers, 2017).
- **Impact:** This allows designers and engineers to test and optimise for circular strategies (like repairability and remanufacturing) *before* a single physical prototype is built.

#### 4.4 Future Trend 3: AI and Generative Design for Multi-Objective Optimisation

The final trend addresses the sheer cognitive complexity of sustainable design. A designer must now balance traditional constraints (cost, performance, aesthetics) with a new set of complex, often competing, environmental metrics.

\* Corresponding Author:

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



- **Function: Generative Design** (a form of Artificial Intelligence) inverts the typical design process. Instead of the designer *drawing* a solution, they *define the goals* and constraints.
- **Application:** A designer can instruct the software: "Create a bracket that supports 500kg, has a safety factor of 2.0, costs less than £3 to manufacture, is 3D-printable from recycled-content steel, and has the minimum possible embodied carbon." The AI explores thousands, or even millions, of potential design iterations, presenting the designer with a set of high-performing options that a human would never have conceived of—often lightweight, "bionic" forms that use the absolute minimum material necessary.
- **Impact:** This approach allows for true multi-objective optimisation, where sustainability is not an "add-on" to be checked at the end, but a core, non-negotiable constraint from the very beginning. It moves the designer from being a *drafter* to being a *curator* of high-performing, sustainable solutions.

## 5. Conclusion

This review has systematically surveyed the diverse and expanding landscape of sustainable product design tools. It has provided a clear typology, categorising these instruments into three distinct families: first, the analytical and quantitative tools, such as Life Cycle Assessment, which provide summative rigour and scientific validation; second, the qualitative and guideline-based tools, like eco-design checklists, which offer formative, accessible guidance during the creative process; and third, the strategic frameworks, including the Circular Economy and Biomimicry, which enable deep, systemic transformation of business models.

The primary finding of this analysis is that no single tool provides a panacea. The case studies demonstrate that a mature sustainable design process is not a linear application of one methodology but rather a dynamic, hybrid approach. An effective process may be *framed* by a strategic circular goal, *guided* during the initial concepting phase by qualitative Design for Repair principles, and ultimately *validated* prior to production by a rigorous, quantitative environmental analysis.

The most significant barrier to effective, widespread SPD implementation remains the "formative-summative disconnect." This is the critical time lag that persists in product development: the early, formative stages of design—where the vast majority of environmental impact is irrevocably locked-in—are often completed long before the arrival of data-rich, summative analysis. This feedback lag has historically forced designers to rely on intuition rather than data when making the most critical decisions.

The future of the field, as explored in the discussion, lies unequivocally in closing this feedback loop through deep digital integration. Emerging technologies are not simply new tools to add to an already crowded list; they are *integrators*. The embedding of real-time environmental data directly into CAD software, the holistic simulation capabilities of digital twinning, and

\* **Corresponding Author:**

Mohd. Tayyab, *Punjab Engineering College, Chandigarh, India*  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

**Creative Commons Attribution 4.0 International License (CC BY 4.0)**

© 2025 Copyright by the Authors.



the multi-objective optimisation power of AI-driven generative design all point toward a single, unified paradigm shift.

These advancements promise to finally move sustainability from its current position as a separate, post-design validation exercise or an ethical "add-on." They will instead embed it as a core, non-negotiable, and creative parameter of good design itself. Sustainability will, in effect, become synonymous with quality, performance, and innovation—an intrinsic and essential component of the digital toolkit for every 21st-century designer.

### References:

1. Aas, U. H., Onshus, T., & Skog, B. (2019). Digital twins for sustainable production. *CIRP ICMS 2019*, 88, 203-208. <https://doi.org/10.1016/j.procir.2019.04.254>
2. Acar, A. (2023). *Digital Twin for Sustainable Product Design and Manufacturing*. Springer.
3. Alves, C., & Mendonça, P. (2020). Generative design as a tool for sustainable product design: A review of the state of the art. *Journal of Cleaner Production*, 279, 123714. <https://doi.org/10.1016/j.jclepro.2020.123714>
4. Apple. (2024). *Product Environmental Report: MacBook Air 13-inch (M3)*. Apple Inc.
5. Ashby, M. F. (2012). *Materials and the Environment: Eco-Informed Material Choice (2nd ed.)*. Butterworth-Heinemann.
6. Bakker, C., den Hollander, M., van Hinte, E., & Zijlstra, Y. (2014). *Products That Last: Product Design for Circular Business Models*. TU Delft Library.
7. Benyus, J. M. (1997). *Biomimicry: Innovation Inspired by Nature*. William Morrow.
8. Bhamra, T., & Lofthouse, V. (2007). *Design for Sustainability: A Practical Approach*. Gower.
9. Bhamra, T., Cooper, T., & Litherland, L. (2011). Design for longevity: A sustainable design strategy. In *Design for Sustainable Well-Being and Empowerment* (pp. 119-130). Springer.
10. Bocken, N. M. P., de Pauw, I., Bakker, C., & van der Grinten, B. (2016). Product design and business model strategies for a circular economy. *Journal of Industrial and Production Engineering*, 33(5), 308-320. <https://doi.org/10.1080/21681015.2016.1172124>
11. Bocken, N. M. P., Short, S. W., Rana, P., & Evans, S. (2014). A literature and practice review to develop sustainable business model archetypes. *Journal of Cleaner Production*, 65, 42-56. <https://doi.org/10.1016/j.jclepro.2013.11.039>
12. Braungart, M., & McDonough, W. (2002). *Cradle to Cradle: Remaking the Way We Make Things*. North Point Press.
13. Braungart, M., McDonough, W., & Bollinger, A. (2007). Cradle-to-cradle design: Creating healthy emissions – a strategy for eco-effective product and system design. *Journal of Cleaner Production*, 15(13-14), 1337-1348. <https://doi.org/10.1016/j.jclepro.2006.08.003>
14. Brezet, H., & van Hemel, C. (1997). *Ecodesign: A Promising Approach to Sustainable Production and Consumption*. UN Environment Programme.

### \* Corresponding Author:

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



15. Byggeth, S. H., & Hochschorner, E. (2006). Handling trade-offs in ecodesign tools for sustainable product development and procurement. *Journal of Cleaner Production*, 14(15-16), 1420-1430. <https://doi.org/10.1016/j.jclepro.2005.11.025>
16. Charter, M. (Ed.). (2018). *Designing for the Circular Economy*. Routledge.
17. Charter, M., & Tischner, U. (Eds.). (2001). *Sustainable Solutions: Developing Products and Services for the Future*. Greenleaf Publishing.
18. Cooper, T. (Ed.). (2010). *Longer Lasting Products: Alternatives to the Throwaway Society*. Gower.
19. Crul, M. R. M., & Diehl, J. C. (2006). *Design for Sustainability (D4S): A Practical Approach for Developing Economies*. UN Environment Programme.
20. Ceschin, F., & Gaziulusoy, I. (2016). Evolution of design for sustainability: From product design to design for system innovations and transitions. *Design Studies*, 47, 118-163. <https://doi.org/10.1016/j.destud.2016.09.002>
21. Ceschin, F., & Gaziulusoy, I. (2019). *Design for Sustainability: A Multi-level Framework from Products to Socio-technical Systems*. Routledge.
22. Deutz, P., Campos, L. C., & Gfsdottir, A. S. (2023). Designing for circular economy: A review of product design for circularity. *Sustainability*, 15(7), 5906. <https://doi.org/10.3390/su15075906>
23. Diehl, J. C., & Brezet, H. (2005). Ecodesign in practice. *Journal of Cleaner Production*, 13(13), 1223-1225.
24. Ellen MacArthur Foundation. (2013). *Towards the Circular Economy: Economic and Business Rationale for an Accelerated Transition*. Ellen MacArthur Foundation.
25. Ellen MacArthur Foundation. (2014). *Towards the Circular Economy Vol. 2: Opportunities for the Consumer Goods Sector*. Ellen MacArthur Foundation.
26. Ellen MacArthur Foundation. (2015). *Delivering the Circular Economy: A Toolkit for Policymakers*. Ellen MacArthur Foundation.
27. European Commission. (2020). *Circular Economy Action Plan: For a Cleaner and More Competitive Europe*. COM(2020) 98 final. Brussels.
28. European Commission. (2022). *Proposal for a Regulation on Ecodesign for Sustainable Products (ESPR)*. COM(2022) 142 final. Brussels.
29. Fargnoli, M., & Sakao, T. (2017). Integrating QFD and TRIZ for eco-design: A case study on a household appliance. *International Journal of Environmental and Sustainable Development*, 16(1), 19-38.
30. Finnveden, G., Hauschild, M. Z., Ekvall, T., Guinée, J., Heijungs, R., Hellweg, S., ... & Suh, S. (2009). Recent developments in Life Cycle Assessment. *Journal of Environmental Management*, 91(1), 1-21. <https://doi.org/10.1016/j.jenvman.2009.06.018>
31. Fletcher, K. (2013). *Sustainable Fashion and Textiles: Design Journeys (2nd ed.)*. Routledge.
32. Frazzon, E. M., Agostino, I. R. S., & Uhlmann, I. K. (2020). Digital twin and its integration with the circular economy: A conceptual framework. *Procedia CIRP*, 93, 215-220. <https://doi.org/10.1016/j.procir.2020.04.148>
33. Fu, X., Zhang, H., & Zhou, Z. (2021). A review of generative design methods for sustainable product development. *Computers in Industry*, 130, 103487. <https://doi.org/10.1016/j.compind.2021.103487>

**\* Corresponding Author:**

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



34. Gaziulusoy, A. I., Ceschin, F., & Vezzoli, C. (2013). Product–service system design for sustainability: A review. *Journal of Cleaner Production*, 53, 160-170.
35. Geissdoerfer, M., Savaget, P., Bocken, N. M. P., & Hultink, E. J. (2017). The Circular Economy – A new sustainability paradigm? *Journal of Cleaner Production*, 143, 757-768. <https://doi.org/10.1016/j.jclepro.2016.12.048>
36. Giudice, F., La Rosa, G., & Risitano, A. (2006). *Product Design for the Environment: A Life Cycle Approach*. CRC Press.
37. Goel, A. K., Vattam, S., & Helms, M. (2012). Cognitive, collaborative, and conceptual tools for biomimetic design. In E. Gero (Ed.), *Studying Cognitive and Creative Processes*. Springer.
38. Grieves, M., & Vickers, J. (2017). Digital Twin: Mitigating unpredictable, undesirable emergent behavior in complex systems. In K. S. Lechevalier (Ed.), *Transdisciplinary perspectives on complex systems* (pp. 85-113). Springer.
39. Guinée, J. B. (Ed.). (2002). *Handbook on Life Cycle Assessment: Operational Guide to the ISO Standards*. Kluwer Academic Publishers. <https://doi.org/10.1007/978-94-015-9927-0>
40. Haag, S., & Anderl, R. (2018). Digital twin – A key for sustainable manufacturing? *Procedia Manufacturing*, 21, 577-584. <https://doi.org/10.1016/j.promfg.2018.02.159>
41. Heijungs, R., Huppes, G., & Guinée, J. B. (2010). Life cycle assessment and sustainability analysis. *Polymer Degradation and Stability*, 95(3), 422-428.
42. Helms, M., Vattam, S. S., & Goel, A. K. (2009). Biologically inspired design: A new paradigm for design. *Design Studies*, 30(2), 172-198. <https://doi.org/10.1016/j.destud.2008.09.001>
43. Ijomah, W. L., McMahon, C. A., Hammond, G. P., & Newman, S. T. (2007). Development of a design for remanufacturing framework. *Remanufacturing: An International Journal*, 1(1), 1-24.
44. ISO 14001:2015. *Environmental management systems — Requirements with guidance for use*. International Organization for Standardization.
45. ISO 14040:2006. *Environmental management — Life cycle assessment — Principles and framework*. International Organization for Standardization.
46. ISO 14044:2006. *Environmental management — Life cycle assessment — Requirements and guidelines*. International Organization for Standardization.
47. Jepsen, P. U., & Dell’Era, C. (2020). AI in product design: A review of generative algorithms for sustainable innovation. *Journal of Design Research*, 18(1-2), 46-67.
48. Jones, P., Hillier, D., & Comfort, D. (2014). Sustainability in the global shop window: A review of the sustainability reports of the world's largest retailers. *International Journal of Retail & Distribution Management*, 42(10), 918-932.
49. Kirchherr, J., Reike, D., & Hekkert, M. (2017). Conceptualizing the circular economy: An analysis of 114 definitions. *Resources, Conservation and Recycling*, 127, 221-232. <https://doi.org/10.1016/j.resconrec.2017.09.005>
50. Lieder, M., & Rashid, A. (2016). Towards circular economy implementation: A comprehensive review in context of manufacturing industry. *Journal of Cleaner Production*, 115, 36-51. <https://doi.org/10.1016/j.jclepro.2015.12.042>

---

**\* Corresponding Author:**

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



51. Lofthouse, V. (2006). Ecodesign tools for designers: Defining the requirements. *Journal of Cleaner Production*, 14(15-16), 1386-1395. <https://doi.org/10.1016/j.jclepro.2005.11.013>
52. Manzini, E. (2006). *Design for social innovation and sustainability*. Politecnico di Milano.
53. Manzini, E. (2015). *Design, When Everybody Designs: An Introduction to Design for Social Innovation*. MIT Press.
54. McDonough, W., Braungart, M., Anastas, P. T., & Zimmerman, J. B. (2003). Applying the principles of green engineering to cradle-to-cradle design. *Environmental Science & Technology*, 37(23), 434A-441A.
55. Meadows, D. H., Meadows, D. L., Randers, J., & Behrens III, W. W. (1972). *The Limits to Growth*. Universe Books.
56. Mestre, A., & Cooper, T. (2017). The role of design in product longevity. In C. Vezzoli et al. (Eds.), *Designing Sustainable Product-Service Systems for a Circular Economy*. Springer.
57. Murray, R., Caulier-Grice, J., & Mulgan, G. (2010). *The Open Book of Social Innovation*. The Young Foundation.
58. Norman, D. (2013). *The Design of Everyday Things: Revised and Expanded Edition*. Basic Books.
59. Pahl, G., Beitz, W., Feldhusen, J., & Grote, K. H. (2007). *Engineering Design: A Systematic Approach (3rd ed.)*. Springer.
60. Papanek, V. (1971). *Design for the Real World: Human Ecology and Social Change*. Pantheon Books.
61. Pauli, G. A. (2010). *The Blue Economy: 10 Years, 100 Innovations, 100 Million Jobs*. Paradigm Publications.
62. Prendeville, S., & Bocken, N. (2017). Design for a Circular Economy: A practical guide for designers. *Circular Design Guide*. (IDEO & Ellen MacArthur Foundation).
63. Pigozzo, D. C. A., Geng, R., & Olesen, J. (2023). A systematic review of design for circular economy: A design-centric, framework-based approach. *Journal of Cleaner Production*, 385, 135472. <https://doi.org/10.1016/j.jclepro.2022.135472>
64. Pigozzo, D. C. A., McAloone, T. C., & Rozenfeld, H. (2015). Characterization of the state-of-the-art of eco-design tools and methods. *Journal of Cleaner Production*, 106, 556-568.
65. Rashid, A., Asif, F. M. A., Krajnik, P., & Nicolescu, C. M. (2013). Resource conservative manufacturing: A review. *Journal of Cleaner Production*, 57, 116-127.
66. Rebitzer, G., Ekvall, T., Frischknecht, R., Hunkeler, D., Jolliet, O., Rydberg, T., ... & Wenzel, H. (2004). Life Cycle Assessment: Part 1: Framework, goal and scope definition, inventory analysis, and applications. *Environment International*, 30(5), 701-720. <https://doi.org/10.1016/j.envint.2003.11.005>
67. Riesener, M., Dölle, C., & Riel, A. (2020). Integrating LCA in product development: A review of tools and methods. *Procedia CIRP*, 90, 208-213. <https://doi.org/10.1016/j.procir.2020.02.096>
68. Rossi, M., Germani, M., & Zamagni, A. (2016). Review of electronics design for circular economy: A framework of tools and methods. *Procedia CIRP*, 48, 377-382.
69. Schöggel, J. P., Stumpf, L., & Baumgartner, R. J. (2017). The narrative of sustainability and greenwashing: A critical review. *Uwf-UmweltWirtschaftsForum*, 25(2), 177-187.

---

**\* Corresponding Author:**

Mohd. Tayyab, Punjab Engineering College, Chandigarh, India  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.



70. Seliger, G. (2007). *Sustainability in Manufacturing: Recovery of Resources in Product and Material Cycles*. Springer.
71. Simon, M., Poole, S., Sweatman, A., Evans, S., & Bhamra, T. (2001). The Eco-design 'LiDS' wheel. *Journal of Cleaner Production*, 9(3), 215-227. [https://doi.org/10.1016/S0959-6526\(00\)00040-X](https://doi.org/10.1016/S0959-6526(00)00040-X)
72. Stark, J. (2021). *Product Lifecycle Management (PLM): The Digital Twin and Digital Thread*. Springer.
72. Stahel, W. R. (2010). *The Performance Economy (2nd ed.)*. Palgrave Macmillan.
73. Stahel, W. R. (2016). The circular economy. *Nature*, 531(7595), 435-438.
74. Tayyab, M., Ahmad, S., Akhtar, M. J., Sathikh, P. M., & Singari, R. M. (2022). Prediction of mechanical properties for acrylonitrile-butadiene-styrene parts manufactured by fused deposition modelling using artificial neural network and genetic algorithm. *International Journal of Computer Integrated Manufacturing*, 36(9), 1295-1312. <https://doi.org/10.1080/0951192x.2022.2104462>
75. Tayyab, M., Singari, R. M., & Sathikh, P. M. (2023). Evaluating the environmental impact of a bicycle: A life cycle assessment with a new Green Product Design framework. *Educational Administration: Theory and Practice*, 30(5), 3823-3831. <https://doi.org/10.53555/kuey.v30i5.3539>
76. Tayyab, M., Singari, R. M., & Sathikh, P. M. (2024a). Evaluating the environmental impact of a home Appliances: A life cycle assessment with a new Green Product Design framework. *Educational Administration: Theory and Practice*, 30-30(5), 13135-13144. <https://doi.org/10.53555/kuey.v30i5.5674>
77. Tayyab, M., Singari, R. M., & Sathikh, P. M. (2024b). Comparative analysis of carbon footprint and environmental impact of laptops. *Nanotechnology Perceptions*, 20(S14). <https://doi.org/10.62441/nano-ntp.v20is14.202>
78. Tayyab, M., Singari, V. R., Singari, R. M., & Sathikh, P. M. (2025). INTEGRATING ARTIFICIAL INTELLIGENCE IN THE CIRCULAR ECONOMY: A STANDARDISED FRAMEWORK. *Journal of Philanthropy and Marketing*, 5, 147-267. <https://journalofphilanthropyandmarketing.org/index.php/JPM/article/view/110/111>

---

**\* Corresponding Author:**

Mohd. Tayyab, *Punjab Engineering College, Chandigarh, India*  
[mdtayyab7809@gmail.com](mailto:mdtayyab7809@gmail.com)

Creative Commons Attribution 4.0 International License (CC BY 4.0)

© 2025 Copyright by the Authors.

